#### MINUTES OF THE REGULAR MEETING OF THE GOLETA WEST SANITARY DISTRICT UCSB CAMPUS, PARKING LOT 32, SANTA BARBARA, CALIFORNIA August 7, 2012

#### CALL TO ORDER

President Meyer called the meeting to order at 7:00 P.M.

#### BOARD MEMBERS PRESENT

Craig Geyer Dr. David C. Lewis Larry D. Meyer Eva Turenchalk

#### **BOARD MEMBER ABSENT**

Dave Bearman, M.D.

#### STAFF PRESENT

Diane P. Powers, Secretary; Mr. Mark Nation, General Manager/Superintendent; Mr. Steven A. Amerikaner, General Counsel

#### **OTHERS PRESENT**

No members of the public were present.

#### **APPROVE THE ORDER OF THE AGENDA**

There was no change to the order of the agenda.

#### PUBLIC INPUT

There was no public input presented at this time.

#### **MINUTES**

(12-08-38)

Upon a motion by Director Lewis, seconded by Director Geyer the Board approved (Director Turenchalk abstained) the minutes of the regular meeting of July 17, 2012 as written.

#### ACTION ITEMS

#### 1) Ordinance No. 12-82: An Ordinance pertaining to the holding and conduct of Board Meetings and repealing Ordinance No. 10-79

(12-08-39)

Upon a motion by Director Geyer, seconded by Director Turenchalk the Board unanimously approved to adopt Ordinance No. 12-82: An Ordinance pertaining to the holding and conduct of Board Meetings and repealing Ordinance No. 10-79.

AYES:	Geyer, Lewis, Meyer, Turenchalk
NOES:	None
ABSTAINED:	None
ABSENT:	Bearman

Minutes of Regular Meeting of the Goleta West Sanitary District August 7, 2012 Page 2

## 2) Overview of the Fats, Oils & Grease (FOG) Control Program

Mr. Nation provided a brief overview of the District's Fats, Oils & Grease (FOG) Control Program. He referenced the District Ordinances that regulate the use of public and private sewers and establish the legal authority to prohibit the discharge of FOG. Mr. Nation then mentioned the District's Standard Specifications that require the use of grease removal devices. He touched upon FOG inspections and how a business is identified that is obligated to install a grease removal device.

## **COMMUNICATIONS**

The communications were noted as received.

## **REPORTS**

## **Operating Report:**

Mr. Nation provided highlights of the operating report.

#### **Goleta Sanitary District Board Meeting:**

President Meyer provided a report on the August 6, 2012 Goleta Sanitary District Board Meeting.

#### Management Committee Meeting:

Director Geyer provided a report on the August 6, 2012 Management Committee Meeting.

## **City of Goleta Council Meeting:**

There was no report provided at this time.

#### **SBCSDA Chapter Meeting:**

President Meyer provided a report on the July 23, 2012 SBCSDA Chapter Meeting.

#### SBCSDA Executive Meeting:

President Meyer provided a report on the August 1, 2012 SBCSDA Executive Meeting.

## **Other Director Reports:**

Director Lewis provided a report on the July 25, 2012 IVR&PD Board Meeting.

## FUTURE AGENDA ITEMS

CLOSED SESSION: Public Employee Performance Evaluation (Gov't Code Section 54957) Employee: General Manager/Superintendent

CLOSED SESSION: Conference with Labor Negotiator (Government Code Sec. 54957.6) Agency designated representative: General Counsel Unrepresented employee: General Manager/Superintendent

Minutes of Regular Meeting of the Goleta West Sanitary District August 7, 2012 Page 3

The Board went into Closed Session at 7:40 P.M. The Board returned to open session at 7:55 P.M.

No action was taken.

#### **ADJOURNMENT**

There being no further business, President Meyer adjourned the meeting at 7:56 P.M.

Diane P. Powers, Secretary

**APPROVED** 

Larry D. Meyer, President

# GOLETA WEST SANITARY DISTRICT Operating Report for July 11 – July 31, 2012

# I. Administration

Completed routine administrative duties.

Prepared Board Agenda packet for August 7, 2012 regular Board Meeting.

Submitted the FY 2012-2013 Tax Roll data to the S.B. County Auditor-Controller.

Submitted completed Forms 470 to the County Elections Division.

Completed request by GSD's auditors for payments made during FY 2011-2012.

Completed Workers' Compensation Payroll Audit Form for FY 2011-2012.

Updated US Bank Authorized Signature Form.

Attended monthly SAMA meeting.

Staff printed copies of Standard Specifications with new District logo.

Per FY 2012-13 Budget – Van Buren Consulting replaced the workstation in Brian McCarthy's office and set up the new accounting printer in the Office Manager's office.

The entire staff participated in the project kick-off meeting with representatives from CDM Smith regarding Pump Station #2 Upgrade Project.

# **II.** Collection System Maintenance

Final inspection was performed on a lateral replacement at 850 Fortuna Lane in Isla Vista.

Staff attended Utilities Coordination Meeting at the City of Goleta.

Staff attended Pavement Preparation Pre-Construction Meeting at the City of Goleta.

Staff received Safety training on Hazardous Waste Operations and Emergency Response, and Workplace Violence.

District Staff continues to inspect the sewer installation at the UCSB North Campus Faculty Housing Phase II development.

District Staff continues to inspect as needed at the Bluffs development since construction has restarted at that site.

The crew completed hydro-flushing throughout the District with 5,262 ft. cleaned since the last G:\GOLETATOPOUNENTS\Agendas\Board\2012\120807agn.docx

Operating Report Page Two

The crew is currently hydro-cleaning the Isla Vista West area with 4,947 ft. cleaned since the last report.

The crew cleaned hotspots throughout the District with 1,021 ft. cleaned since the last inspection.

The crew is currently inspecting with CCTV in the Isla Vista area with 18,817 ft. inspected since the last report.

The District's in-house quarterly safety inspection was completed.

# **III.** Industrial Waste

Staff continues with restaurant FOG inspections. Several District restaurants are currently in the process of installing new grease interceptors.

Staff met with contractor for UCSB regarding discharging the contents of the wave pool to sewer at the Engineering Research Centers on Cortona Drive.

Staff received June sewer discharge readings from Hargis + Associates for groundwater remediation system operating at the former Delco site.

# **IV.** Street Sweeping

Graffiti - none to report at this time

Abandon vehicles - none to report at this time

Hours-60

Miles - 411.9

Loads - 30

7/10/12 - 8.13 tons

STREET SWEEPER MAINTENANCE

- Replaced fuel solenoid
- Replaced hydraulic level sensor

#### Table of Treatment Capacity in GSD Plant

Goleta West Average Daily Flow	May 2012	MGD 1.5568 50.06%
--------------------------------	----------	-------------------

# GOLETA WEST SANITARY DISTRICT

ALLOWANCE OF CLAIMS July 12 - 31, 2012

Other	Capital		Total
Services Outlay			
		\$	333.41
34.25		\$	342.55
		\$	97.38
		\$	22.00
		\$	119.13
8.17		\$	136.12
		\$	100.00
85,50		\$	855.00
		\$	79.00
2,729.33	-	\$	2,729.33
943.26	2	\$	10,787.15
192.06		\$	2,900.01
623.80	\$ 2,856.95	\$	5,172.70
5.00		\$	10.91
	\$ 909,245.22	s	909,245.22
		\$	32.72
		\$	142.61
	1	\$	1,481.78
757.80		\$	757.80
311.22	1	\$	311.22
	1	\$	48.09
		\$	55.00
570.00		\$	570.00
	1	\$	20.11
		\$	675.00
79.20		\$	99.00
151.65		S	758.25
244.53		\$	244.53
	\$ 7,062.50	\$	7,062.50
ł		\$	1,964.74
37.49		\$	636.67
107.49		\$	936.96
		\$	3,459.95
		\$	138.95
		\$	120.14
12.64	}	\$	210.69
		\$	
6,893.39	\$ 919,164.67	\$	952,656.62
			12.64 <b>\$</b>

**GRAND TOTAL - Fund 4900** 

\$ 1,006,351.43